

highest cause of cancer death **Bowel Cancer is the second** in New Zealand*



3000+

with Bowel Cancer every year. New Zealanders are diagnosed



1200+

disease every year. New Zealanders die from the



Cancer can affect people of all ages in the 50 years + age group, Bowel rates of Bowel Cancer in the western New Zealand has one of the highest The good news is, if caught early, world. While it is most common

*Lung cancer is the highest cause of cancer death in New Zealand

of Bowel Cancer in New Zealand through: We are committed to reducing the impact

Awareness • Education • Advocacy Support • Research



NEW ZEALAND **Bowel Cancer**

Please support our work by making a donation on our website, by post, or email us for more information. Thank you.

post. PO Box 301517 Albany, Auckland 0752 email. info@beatbowelcancer.org.nz web. beatbowelcancer.org.nz

Thank you to our sponsors





OLYMPUS

© Bowel Cancer New Zealand 2018



of cases if **Bowel Cancer** more than is curable in

Know the symptoms

caught early

- Lower your risk
- Early detection is the best prevention



Bowel Cancer

beatbowelcancer.org.nz Preventable • Treatable • Beatable



What is Bowel Cancer?

Bowel Cancer, also known as colorectal cancer, can affect any part of the large bowel (colon) or rectum. If left untreated, the cancer can spread (metastasise) beyond the bowel to other organs and become much harder to treat.

What are the symptoms?

It can be embarrassing to talk about these symptoms but if any are persistent or intermittent, or you have any concerns about your bowel health, see your Health Professional / General Practitioner (GP):

②	6	4	•
Weight loss, tiredness, feeling weak or breathless (symptoms of anaemia).	Persistent or severe abdominal pain.	Persistent or intermittent change in bowel habit: going to the toilet more often, increased constipation, looser stools for several weeks, feeling that your bowel is not empty after going to the toilet.	Bleeding from the bowel.

How can I lower my risk?

Limit or eliminate alcohol consumption. Don't smoke. Let your GP know if someone in your family has had Bowel Cancer.		Choose a healthy diet with plenty of vegetables and fruit; limit consumption of red and processed meats. Maintain a healthy body weight. Exercise regularly (five times a week).
Limit or eliminate alcohol consumptio Don't smoke. Let your GP know if someone in your! has had Bowel Cancer.	Ŧ	Exercise regularly (five times a week).
Don't smoke. Let your GP know if someone in your! has had Bowel Cancer.		Limit or eliminate alcohol consumption.
Let your GP know if someone in your has had Bowel Cancer.		Don't smoke.
	Ğ	Let your GP know if someone in your has had Bowel Cancer.



Early detection provides the best chance of cure

The National Bowel Screening Programme is currently being introduced throughout New Zealand. It is free for men and women aged 60 to 74 and aims to save lives by detecting bowel cancer at an early stage when it can often be treated successfully. **Call 0800 924 432** for more information.

What other options do I have?

If you have any concerns about your Bowel Cancer risk, experience any of the symptoms presented in this brochure, or someone in your immediate family has had Bowel Cancer, you can:

- Make an appointment with your GP or usual Health Professional today.
- Talk to your pharmacist or Māori/Pacific Community Health worker.
- Visit a Unichem or Life Pharmacy to discuss self-screening and purchasing a Bowel Screen Aotearoa Test Kit (if you are not experiencing any symptoms) or visit www.bowelscreenaotearoa.org for information.*
- Visit our website www.beatbowelcancer.org.nz for detailed information and support.



*If you are experiencing symptoms, see your doctor or health professional today.